



# United States Patent And Trademark Office

P.O. Box 1450, Alexandria, Virginia 22313-1450 – [www.uspto.gov](http://www.uspto.gov)

07/08/05

WILMER CUTLER PICKERING HALE AND DORR LLP  
60 STATE STREET  
BOSTON MA 02109

Dear Applicant:

The PG Pub replacement drawings received for application 10/783,518 by the U. S. Patent and Trademark Office will be included in the application file but **was not** included in the patent publication due to the following reason(s):

1) ☐ Non compliance:

- τ Drawing(s) and/or Figure(s) Missing
- τ Deficiencies in Drawings:
  - τ Improper paper size – must be either A4 (21cm x 29.7cm) or 8-1/2" x 11"
  - τ Improper margins (each drawing sheet must include a top margin of at least 1 inch, a left side margin of at least 1 inch, a right side margin of at least 5/8 inches, and a bottom margin of at least 3/8 inch)
  - τ Not reproducible:
    - τ Paper too thin
    - τ Glossy pages
    - τ Non-white background
  - τ Drawing Objection(s)
    - τ Missing lead lines, drawing(s) \_\_\_\_\_
    - τ Line quality is too light, drawings(s) \_\_\_\_\_
    - τ More than 1 drawing and not numbered correctly
    - τ Non-English text, drawing(s) \_\_\_\_\_
    - τ Excessive text, drawing(s) \_\_\_\_\_
    - τ Photographs capable of illustration, drawing(s) \_\_\_\_\_
    - τ Photographs may not be mounted (must be developed on a sheet of paper meeting the paper size requirement). 37 CFR 1.85(e)


2) ☒ Untimely Submission

**Note:**

The Office may include any replacement drawings filed in compliance with 37 CFR 1.84 and 1.121(d) in the patent application publication if the replacement drawings are entered into the Office file wrapper of the application before technical preparations for publication of the application have begun (generally four months prior to the projected publication date.)

If a petition fee or processing fee was submitted with the replacement drawings, then the fee has been refunded.

Telephone inquiries should be directed to The Office of Pre Grant Publication, at 703 605-4283



---

Signature of Reviewer, Pre Grant Publication